

Your Puppy's nutrient profile

Ingredients =



393 g **14** oz Pork, fresh, loin, whole, separable lean only, raw

15 g 3 3/8 tsp Oil, canola -

1 1/2 mL **1.38** g Nordic Naturals Omega-3 Pet Liquid -

597 g or 17 1/16 cup, Sweet potato leaves, raw -

chopped

3.75 g **5/8** tsp Morton lodized Salt

21.88 g 8 3/4 teaspoon Balance IT® Canine (2.5 g/tsp)

Some ingredients may have an undefined value for some nutrients. This results in the value being treated as zero which may result in the value being under-reported. Also many nutrients are typically and safely many times higher than the minimum requirement. If additional information about a particular nutrient amount is needed and you are a veterinarian, please contact us.

Caloric distribution • Protein calories 40.23%

> Fat calories 41.36%

> Carbohydrate calories 18.41%

Protein 40.23% Fat 41.36% Carbs 18.41%

*These "% calories" values are better for comparing diets, but different from "% as fed" values found on pet food labels. To convert pet food labels, use the free online "Guaranteed Analysis Converter" available under the Support tab. Please see Cautions in recipe reports for additional important information.

> Total calories fed: 959.8 kcal/day OR 98.75% of the calculated requirement

Nutrients

A quick look at how fortifying your Puppy's recipe with a supplement can provide all the goodness they need to thrive.

Total Cooked Mass: 922.51 gE Density: 1.04 kcal/g as is, 4.15 kcal/g DM% Moisture: 76.63% | Also See Nutrient 255 Water Below

AAFCO-NRC

Bar Graph:

| | Not Show | vn. Show Numerical Percentages | | | |
|-------------|------------------------|--------------------------------|------------------------------|---------------------------------------|------------------------------------------|
| Nutrient ID | Nutrient Name | Requirement Range | Amount (per Mcal) | % of Requirement (with supplement) | % of Requirement (without supplement) |
| [10000 | lodine | 0.25 to 2.75 mg | 1.04 mg | 414.35% | 0% |
| [301] | Calcium, Ca | 3 to 6.25 g | 3.71 g | 123.81% | 8.41% |
| [312] | Copper, Cu | 3.10 to No Max mg | 3.88 mg | 125.06% | 13.80% |
| [418] | Vitamin B- 12 | 0.01 to No Max mg | 0.01 - 0.01 mg | 200.33% - 207.11% | 14.70% - 21.49% |
| [307] | Sodium, Na | 0.80 to 2.50 g | 1.95 g | 244.18% | 23.31% |
| [10000 | Chloride | 1.10 to No Max g | 3.03 g | 275.51% | 26.14% |
| [305] | Phosphorus , P | 2.50 to 4 g | 2.59 g | 103.56% | 30.79% |
| [303] | Iron, Fe | 22 to No Max mg | 44.60 mg | 202.74% | 32.19% |
| [100002 | Ca:Pratio | 1 to 2 | 1.43 | 143.47% | 32.78% |
| [309] | Zinc, Zn | 25 to No Max mg | 69.13 mg | 276.52% | 34.88% |
| [328] | Vitamin D (D2 + D3) | 125 to 750 IU, Vit D | 328.76 – 342.88 IU, Vit D | 263.01% - 274.30% | 62.40% - 73.69% |
| [315] | Manganese , Mn | 1.80 to No Max mg | 4.01 mg | 222.75% | 79.38% |

| [410] | Pantotheni c acid | 3 to No Max mg | 6.46 - 7.11 mg | 215.33% - 237.13% | 83.49% - 105.29% |
|----------|-------------------------------------|-----------------------|-----------------------|----------------------|----------------------|
| [421] | Choline, total | 340 to No Max mg | 845.95 - 969.04 mg | 248.81% - 285.01% | 84.48% - 120.68% |
| [323] | Vitamin E (alpha- tocopherol) | 12.50 to No Max mg | 117.26 - 123.51 mg | 938.12% - 988.10% | 121.10% - 171.08% |
| [502] | Threonine | 2.60 to No Max g | 3.76 g | 144.49% | 144.49% |
| [405] | Riboflavin | 1.30 to No Max mg | 4.11 - 4.47 mg | 315.91% - 343.50% | 156.34% - 183.92% |
| [508] | Phenylalani ne | 2.08 to No Max g | 3.28 g | 157.77% | 157.77% |
| [317] | Selenium, Se | 0.09 to 0.50 mg | 0.23 mg | 251.43% | 160.25% |
| [203] | Protein | 56.30 to No Max g | 95.49 g | 169.61% | 169.61% |
| [618] | 18:2 undifferenti ated | 3.30 to 16.30 g | 5.81 g | 176.10% | 176.10% |
| [1001017 | Phenylalani ne-tyrosine | 3.25 to No Max g | 6.15 g | 189.11% | 189.55% |
| [306] | Potassium, K | 1.50 to No Max g | 5.31 g | 354.01% | 200.66% |
| [504] | Leucine | 3.23 to No Max g | 6.60 g | 204.27% | 204.27% |
| [511] | Arginine | 2.50 to No Max g | 5.11 g | 204.50% | 204.50% |
| [404] | Thiamin | 0.56 to No Max mg | 1.89 - 3.18 mg | 337.80% - 567.95% | 207.13% - 437.27% |
| [100101 | Methionine -cystine | 1.75 to No Max g | 3.69 g | 210.97% | 210.97% |
| | | | | | |

| [503] | Isoleucine | 1.78 to No Max g | 3.85 g | 216.39% | 216.39% |
|---------------|-------------------------|----------------------------|---------------------------------|----------------------|----------------------|
| [204] | Total lipid (fat) | 21.30 to No Max g | 46.58 g | 218.68% | 218.68% |
| [435] | Folate, DFE | 90.20 to No Max mcg_DFE | 337.79 - 415.11 mcg_DFE | 374.50% - 460.21% | 222.86% - 308.57% |
| [304] | Magnesium, Mg | 0.15 to No Max g | 0.53 g | 354.46% | 232.83% |
| [501] | Tryptophan | 0.50 to No Max g | 1.49 g | 298.50% | 233.30% |
| [510] | Valine | 1.70 to No Max g | 4.46 g | 262.47% | 262.47% |
| [415] | Vitamin B-6 | 0.38 to No Max mg | 1.71 - 2.54 mg | 448.78% - 668.39% | 274.51% - 494.12% |
| [506] | Methionine | 0.88 to No Max g | 2.48 g | 281.83% | 281.83% |
| [320] | Vitamin A, RAE | 375 to 18750 mcg_RAE | 1838.38 - 2037.67 mcg_RAE | 490.24% - 543.38% | 283.43% - 336.57% |
| [512] | Histidine | 1.10 to No Max g | 3.28 g | 298.60% | 298.60% |
| [505] | Lysine | 2.25 to No Max g | 8.20 g | 364.33% | 364.33% |
| [10000 2] | EPA + DHA | 0.10 to No Max g | 0.39 g | 388.20% | 388.20% |
| [406] | Niacin | 3.40 to No Max mg | 22.85 - 23.81 mg | 672.05% - 700.44% | 510.94% - 539.32% |
| [851] | 18:3 n-3 c,c,c (ALA) | 0.20 to No Max g | 1.45 g | 723.49% | 723.49% |
| [20000 21] | LA+AA:EPA +DHA | No Min to 30 | 15.27 | N/A | N/A |
| [20000 22] | LA+AA:ALA +EPA+DHA | No Min to 30 | 3.23 | N/A | N/A |
| | | | | | |